PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 :
G01N 33/68, 33/569

A1

(11) International Publication Number: WO 96/17249

(43) International Publication Date: 6 June 1996 (06.06.96)

(21) International Application Number: PCT/GB95/02766

(22) International Filing Date: 28 November 1995 (28.11.95)

(30) Priority Data:

9424015.7	29 November 1994 (29.11.94)	GB
9424769.9	7 December 1994 (07.12.94)	GB

(71) Applicant *(for all designated States except US)*: THE MINISTER OF AGRICULTURE, FISHERIES AND FOOD IN HER BRITANNIC MAJESTY'S GOVERNMENT OF THE UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND [GB/GB]; Whitehall Place, London SW1A 2HH (GB).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: DAWSON, Michael [GB/GB]; Central Veterinary Laboratory (Weybridge), Virology Dept., Addlestone, Surrey KT15 3NB (GB). MARTIN, Trevor, Conrad [GB/GB]; Central Veterinary Laboratory (Weybridge), Virology Dept., Addlestone, Surrey KT15 3NB (GB). KEYES, Paula [GB/GB]; Central Veterinary Laboratory (Weybridge), Virology Dept., Addlestone, Surrey KT15 3NB (GB). JONES, Verity [GB/GB]; Central Veterinary Laboratory (Weybridge), Virology Dept., Addlestone, Surrey KT15 3NB (GB).

(74) Agent: SKELTON, Stephen, Richard; Directorate of Intellectual Property Rights, Formalities Section (Procurement Executive), Poplar 2, MOD Abbey Wood #19, P.O.Box 702, Bristol BS12 7DU (GB).

(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, LS, MW, SD, SZ, UG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: SPONGIFORM ENCEPHALOPATHY DETECTION METHODS

(57) Abstract

A method for detecting the presence of spongiform encephalopathy in an animal comprising determining the presence and/or amount of agent (e.g. by the use of 2DPAGE, followed by staining and densitometry readings of the stained agent) in a body fluid (e.g. cerebrospinal fluid) of test animal which cross-reacts with antibody raised against apoliprotein E, and has a molecular weight of between 34 and 38 kDa and a pI of between 5.4 and 5.7 comparing the concentration with a control value, and correlating the relationship between the two with the likely presence of spongiform encephalopathy in the animal.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	**GB**	United Kingdom	**MR**	Mauritania
AU	Australia	**GE**	Georgia	**MW**	Malawi
BB	Barbados	**GN**	Guinea	**NE**	Niger
BE	Belgium	**GR**	Greece	**NL**	Netherlands
BF	Burkina Faso	**HU**	Hungary	**NO**	Norway
BG	Bulgaria	**IE**	Ireland	**NZ**	New Zealand
BJ	Benin	**IT**	Italy	**PL**	Poland
BR	Brazil	**JP**	Japan	**PT**	Portugal
BY	Belarus	**KE**	Kenya	**RO**	Romania
CA	Canada	**KG**	Kyrgystan	**RU**	Russian Federation
CF	Central African Republic	**KP**	Democratic People's Republic of Korea	**SD**	Sudan
CG	Congo			**SE**	Sweden
CH	Switzerland	**KR**	Republic of Korea	**SI**	Slovenia
CI	Côte d'Ivoire	**KZ**	Kazakhstan	**SK**	Slovakia
CM	Cameroon	**LI**	Liechtenstein	**SN**	Senegal
CN	China	**LK**	Sri Lanka	**TD**	Chad
CS	Czechoslovakia	**LU**	Luxembourg	**TG**	Togo
CZ	Czech Republic	**LV**	Latvia	**TJ**	Tajikistan
DE	Germany	**MC**	Monaco	**TT**	Trinidad and Tobago
DK	Denmark	**MD**	Republic of Moldova	**UA**	Ukraine
ES	Spain	**MG**	Madagascar	**US**	United States of America
FI	Finland	**ML**	Mali	**UZ**	Uzbekistan
FR	France	**MN**	Mongolia	**VN**	Viet Nam
GA	Gabon				

SPONGIFORM ENCEPHALOPATHY DETECTION METHODS

The present invention relates to methods for the detection of spongiform encephalopathies in animals, and in particular for the detection of bovine spongiform encephalopathy (BSE) in cattle.

Spongiform encephalopathies are a group of diseases which include scrapie in sheep and Creutzfeldt-Jakob disease (CJD) in humans.

BSE is a notifiable fatal neurodegenerative disease found in cattle. BSE is of major importance to the British farming industry.

Currently cases of BSE are identified by clinical manifestations in the animal. Cases are confirmed by post-mortem analysis of brain tissue, for instance by histopathology, by detection of scrapie associated fibrils or proteinase K resistant protein.

These methods have the disadvantage that they necessitate the slaughter of potentially-infected animals which may turn out to be disease-free. Alternatively, clinical signs may be absent or go undetected, thus leaving infected animals in the herd.

Harrington et al (New England Journal of Medicine (1986) Vol 315, No 5, pp 279-283) used high resolution two dimensional polyacrylamide gel electrophoresis (2DPAGE) to discover the presence of 4 abnormal proteins in the cerobrospinal fluid of human patients suffering from CJD. However, the precise identity of these proteins was not ascertained.

Thus there exists a need for a pre-mortem test for spongiform encephalopathies which can be used when diagnosing potentially-infected animals.

The present invention has now provided a method for detecting spongiform encephalopathies in animals which addresses some, and in preferred forms all, of these problems.

According to one aspect of the present invention there is provided a method for detecting the presence of spongiform encephalopathy in an animal comprising determining the presence and/or amount of agent in a body fluid of the animal which cross-reacts with antibody raised against apoliprotein E, and relating the result of this determination to the infection status of the animal.

Preferably the result of the determination is compared with a control value, and the relationship between the two is correlated with the infection status of the animal.

Preferably the method is used to detect BSE.

Apolipoprotein E is a cholesterol transporting protein produced in the peripheral and central nervous system. Its presence in either multiple- or single-forms has been categorised in cerebrospinal fluid (CSF) and serum.

Thus the discovery that spongiform encephalopathy infection in an animal can be correlated with the presence of, or an increase in the concentration of, an agent or agents in the body fluids of that animal, forms the basis for the methods of the current invention.

The agent or agents are cross reactive with anti-apolipoprotein E, have a molecular weight of around 34-38 kDa, and have a pI of around 5.4 - 5.7. This is consistent with their identification as apolipoprotein E, and the term 'Apo E agent' as used hereinafter is intended to embrace any agent which has these properties (including apolipoprotein E itself and isoforms or multiple-forms thereof).

It should be noted that there is no requirement to accurately quantify the Apo E agent concentration because spongiform encephalopathy may be detected by comparison with a control.

The control value may be derived from the Apo E agent concentration in a different animal (for which the infection status is known) and which is analysed in parallel with the test animal. Alternatively,

Staining and Image analysis: The 2D gels were silver stained according to the Millipore manual. Gels were scanned with an Omnimedia scanner XRS and analysed using Bioimage software and Investigator Database programme (Millipore) using a sunSPARC station computer.

Confirmation of the identity of Apo E agent: The 2D gels were electroblotted onto Immobilon-P membranes overnight at 30V using a Bio-Rad Trans-Blot cell. The blots were blocked using Tween 80 for 1 hour and then incubated for 90 minutes with sheep antiserum containing polyclonal antibody raised against authentic apolipoprotein E. Bound sheep antibodies were detected using rabbit anti-sheep IgG and a horseradish peroxidase detection system. A number of agents in the region of interest (approximate molecular weight of 34-38 kDa, and a pI of around 5.4 - 5.7) were found to have cross reacted with anti-apolipoprotein E antibody.

Comparison of BSE-negative and BSE-positive cattle: A comparison of the stained gels from typical BSE-positive and -negative samples is shown in Fig 1(a) and Fig 1(b). As can be seen the number and intensity of the silver stained spots in the region corresponding to agents having an approximate molecular weight of 34-38 kDa, and a pI of around 5.4 - 5.7 (labelled 'Apo E') is higher in the BSE-positive sample.

A comparison of the mean optical density of those silver-stained spots on the gels which were also found to cross react with anti-apolipoprotein E antibody is found below:

Agent No	BSE-negative	BSE-positive
1	0.13	0.47
2	0.42	0.84
3	0.45	0.64
4	0.45	0.99
5	0.46	1.02
6	0.41	0.69
7	0.87	1.12

By comparing the two sets of optical density readings it can be seen that each agent is present in consistently higher amounts in the BSE-positive (n=31) animals than in the BSE-negative (n=27) animals, thus indicating that the presence and/or amount of these agents can be used to detect the likely presence of BSE in potentially infected animals.

CLAIMS

1. A method for detecting the presence of spongiform encephalopathy in an animal comprising determining the presence and/or amount of agent in a body fluid of the animal which cross-reacts with antibody raised against apoliprotein E. and relating the result of this determination to the infection status of the animal.

2. A method as claimed in claim 1 wherein the result of the determination is compared with a control value, and the relationship between the two is correlated with the infection status of the animal.

3. A method as claimed in claim 1 or claim 2 wherein the agent has a molecular weight of between 34 and 38 kDa and a pI of between 5.4 and 5.7

4. A method as claimed in any one of the preceding claims wherein the agent is apolipoprotein E.

5. A method as claimed in any one of the preceding claims wherein the spongiform encephalopathy is bovine spongiform encephalopathy.

6. A method as claimed in any one of the preceding claims wherein the body fluid analysed in the method is cerebrospinal fluid.

7. A method as claimed in any one of the preceding claims wherein the presence and/or amount of agent in a body fluid of the animal is determined by substantially separating the agent from other materials in the body fluid of the animal using polyacrylamide gel electrophoresis, staining the gel, identifying the agent, and determining the presence and/or amount of the agent from the density of the staining of the agent.

8. A method as claimed in claim 7 wherein the polyacrylamide gel

electrophoresis is two-dimensional polyacrylamide gel electrophoresis.

9. A method as claimed in any one of the preceding claims wherein the identity of the agent is confirmed by use of immunogenic material.

10. A method as claimed in any one of claims 1 to 6 wherein the presence and/or amount of agent in a body fluid of the animal is determined by by the use of immunogenic material.

11. A method as claimed in claim 9 or 10 wherein the immunogenic material is antibody raised against apolipoprotein E.

12. A method as claimed in any one of claims 2 to 11 wherein the control value is derived by the same method as that used with the animal but using a further animal known to be either spongiform encephalopathy-negative or -positive.

13. A method for detecting the presence of spongiform encephalopathy in an animal substantially as described hereinbefore.



Fig.1(b).



Fig.1(a).

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB 95/02766

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G01N33/68 G01N33/569

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	CHEMICAL ABSTRACTS, vol. 120, no. 25, 20 June 1994 Columbus, Ohio, US; abstract no. 320660v, page 634; column 2; see abstract & SHINKEI KENKYU NO SHINPO, vol. 37, no. 6, - 1993 TOKYO, pages 1039-1051, Y. NAMBA 'Immunochemical demonstration of apolipoprotein E in cerebral amyloid deposits in Alzheimer's disease and kuru plaque amyloids in Creutzfeldt-Jacob disease.' see the whole document --- -/--	1-13

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
29 March 1996	03. 04. 96

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax (+31-70) 340-3016	Van Bohemen, C

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Inter ·onal Application No
PC1/GB 95/02766

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US,A,4 892 814 (M.G. HARRINGTON ET AL.) 9 January 1990 see the whole document ---	1-13
A	JOURNAL OF VIROLOGY, vol. 65, no. 9, 1 September 1991 WASHINGTON DC USA, pages 4759-4768, XP 000567293 J.F. DIEDRICH ET AL. 'Neuropathological changes in scrapie and Alzheimer's disease are associated with increased expression of Apolipoprotein E and cathepsin in astrocytes.' see page 4764, column 1, line 16 - line 38; figure 4 ---	1-13
A	NEW ENGLAND JOURNAL OF MEDICINE, vol. 315, no. 2, 31 July 1986 BOSTON MA USA, pages 279-283, XP 000567332 M.G. HARRINGTON ET AL. 'Abnormal proteins in the cerebrospinal fluid of patients with Creutzfeldt-Jacob disease.' cited in the application see the whole document -----	1-13

2

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

.formation on patent family members

Interr ·nal Application No
PC1/GB 95/02766

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4892814	09-01-90	NONE	